

BLIND X-PRESS CLASSIC CELLULAR SHADES



2019 Price Guide

Effective April 15, 2019




12752 Stark Road, Livonia, MI 48150
Phone (734) 421-8844
Fax (734) 421-8870
www.blindxpress.com

Custom Cellular Shades

The classic cellular shade collection is one of the industry's most fashionable and comprehensive programs. Our shades, light filtering to blackout, single cells to double cells come in a rainbow of fashion colors from soft neutrals to rich jewel tones. Specialty fabrics such as sheer, slub woven, prints and crush fabrics add more choices and creativities to home decoration. Fire retardant fabrics provide more options to commercial applications.

9/16" Single Cell Light Filtering

PLS310-001	Cotton	
PLS310-002	Snow White	
PLS310-003	Onion	
PLS310-004	Alabaster	
PLS310-005	Cream	
PLS310-006	Fawn	
PLS310-007	Biscuit	
PLS310-008	Pongee	
PLS310-009	Ocher	
PLS310-010	Tan	
PLS310-011	Terra Cotta	
PLS310-012	Cocoa	
PLS310-013	Spring Green	
PLS310-014	Water Green	
PLS310-015	Avocado	
PLS310-016	Roseate	
PLS310-018	Stone Red	
PLS310-019	Agate Red	
PLS310-020	Bordeaux	
PLS310-021	Gray Sheen	
PLS310-022	Marine Blue	
PLS310-023	Royal Gray	
PLS310-024	Jean Blue	
PLS310-025	Black	
PLS310-026	Wisteria	
PLS310-030	Anthracite	
PLS310-069	White Dove	
PLS310-070	Winter White	
PLS310-094	Teal	
PLS310-100	Buff Yellow	
PLS310-346	Antique Pewter	
PLS310-470	Slate	
PLS310-326	Dark Chocolate	

9/16" Single Cell Linen Print

PLS331-012	Linen Cocoa
PLS331-032	Linen Sand
PLS331-034	Linen Gray
PLS331-326	Linen Dark Chocolate
PLS331-514	Linen Misty Gray

3/4" Single Cell LUX Linen

PLS47B-901	Porcelain
PLS47B-919	Camel
PLS47B-921	Stonington Gray
PLS47B-930	Charcoal
PLS47B-992	Hazelnut

7/16" Double Cell Light Filtering

PLX3A0-001	Cotton
PLX3A0-069	White Dove
PLX3A0-070	Winter White
PLX3A0-002	Snow White
PLX3A0-003	Onion
PLX3A0-004	Alabaster
PLX3A0-005	Cream
PLX3A0-006	Fawn
PLX3A0-007	Biscuit
PLX3A0-008	Pongee
PLX3A0-009	Ocher
PLX3A0-010	Tan
PLX3A0-011	Terra Cotta
PLX3A0-012	Cocoa
PLX3A0-013	Spring Green
PLX3A0-014	Water Green
PLX3A0-015	Avocado
PLX3A0-016	Roseate
PLX3A0-018	Stone Red
PLX3A0-019	Agate Red
PLX3A0-020	Bordeaux
PLX3A0-021	Gray Sheen
PLX3A0-022	Marine Blue
PLX3A0-023	Royal Gray
PLX3A0-024	Jean Blue
PLX3A0-025	Black
PLX3A0-026	Wisteria
PLX3A0-326	Dark Chocolate





3/4" Single Cell Smooth Light Filtering

PLS43C-001	Cotton
PLS43C-002	Snow White
PLS43C-005	Cream
PLS43C-070	Winter White
PLS43C-489	Bamboo
PLS43C-490	Velvet Fern
PLS43C-491	Chocolate Bliss
PLS43C-492	Warm Cocoa

3/4" Single Cell Smooth Blackout

PLS44C-002	Snow White
PLS44C-005	Cream
PLS44C-021	Gray Sheen
PLS44C-070	Winter White
PLS44C-489	Bamboo
PLS44C-490	Velvet Fern
PLS44C-491	Chocolate Bliss
PLS44C-492	Warm Cocoa

9/16" Single Cell Blackout

PLS320-001	Cotton	
PLS320-002	Snow White	
PLS320-003	Onion	
PLS320-004	Alabaster	
PLS320-006	Fawn	
PLS320-008	Pongee	
PLS320-009	Ocher	
PLS320-012	Cocoa	
PLS320-015	Avocado	
PLS320-020	Bordeaux	
PLS320-021	Gray Sheen	
PLS320-024	Jean Blue	
PLS320-025	Black	
PLS320-069	White Dove	
PLS320-070	Winter White	
PLS320-326	Dark Chocolate	
PLS320-346	Antique Pewter	
PLS320-470	Slate	

9/16" Single Cell Sheer

PLS360-001	Cotton
PLS360-002	Snow White
PLS360-004	Alabaster
PLS360-006	Fawn
PLS360-012	Cocoa

9/16" Single Cell Crush

PLS310-001CR	Cotton
PLS310-069CR	White Dove
PLS310-070CR	Winter White
PLS310-006CR	Fawn
PLS310-012CR	Cocoa

9/16" Single Cell Slub Woven

PLS37S-001	Cotton
PLS37S-004	Alabaster
PLS37S-012	Cocoa
PLS37S-021	Gray Sheen
PLS37S-326	Dark Chocolate

3/4" Single Cell Bamboo Print

PLS41RA-023	Royal Gray
PLS41RA-346	Antique Pewter
PLS41RA-514	Misty Gray
PLS41RA-519	Stone
PLS41RA-583	Dark Gray Sheen

 Fabric available in fire retardant

Cellular Shades - Color/ Sizes Specification Summary

Cellular Fabrication Selection and Color Coordination

Fabric Color No.	Fabric Color Name	9/16" Single Cell	9/16" Single Cell	9/16" Single Cell	3/4" Single Cell	3/4" Single Cell	3/4" Single Cell	3/4" Single Cell	7/16" Double Cell	9/16" Single Cell	9/16" Single Cell	9/16" Single Cell	Headrail, bottomrail, cord, end cap, clutch, tassel, and stop balls
		Light Filtering	Blackout	Linen Print	Bamboo Light Filtering	Smooth Light Filtering	Smooth Blackout	LUX Linen Light Filtering	Light Filtering	Sheer	Crush	Slub Woven	
001	Cotton	✓	✓	N/A	N/A	✓	N/A	N/A	✓	✓	✓	✓	001
002	Snow White	✓	✓	N/A	N/A	✓	✓	N/A	✓	✓	N/A	N/A	002
003	Onion	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	006
004	Alabaster	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	✓	N/A	✓	008
005	Cream	✓	N/A	N/A	N/A	✓	✓	N/A	✓	N/A	N/A	N/A	010
006	Fawn	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	✓	✓	N/A	011
007	Biscuit	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	012
008	Pongee	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	002
009	Ocher	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	014
010	Tan	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	015
011	Terra Cotta	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	016
012	Cocoa	✓	✓	✓	N/A	N/A	N/A	N/A	✓	✓	✓	✓	019
013	Spring Green	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	020
014	Water Green	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	021
015	Avocado	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	028
016	Roseate	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	023
018	Stone Red	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	025
019	Agate Red	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	026
020	Bordeaux	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	025
021	Gray Sheen	✓	✓	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	✓	006
022	Marine Blue	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	001
023	Royal Gray (Bamboo)	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	002
023	Royal Gray	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	006
024	Jean Blue	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	001
025	Black	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	002
026	Wisteria	✓	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	025
030	Anthracite	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	006
032	Sand	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	001
034	Gray	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	002
069	White Dove	✓	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	✓	N/A	025
070	Winter White	✓	✓	N/A	N/A	✓	✓	N/A	✓	N/A	✓	N/A	006
094	Teal	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	001
100	Buff Yellow	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	010
326	Dark Chocolate	✓	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	002
346	Antique Pewter (Bamboo)	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	025
346	Antique Pewter	✓	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	025
470	Slate	✓	✓	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	006
489	Bamboo	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	002
490	Velvet Fern	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	012
491	Chocolate Bliss	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	002
492	Warm Cocoa	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	002
514	Misty Gray	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	006
519	Stone	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	091
583	Dark Grey Sheen	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	001
901	Porcelain	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	006
919	Camel	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	091
921	Stonington Gray	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	091
930	Charcoal	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	091
992	Hazelnut	N/A	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	012

Standard Cord Control			
Width	Cord Route	Lift Cord #	Cord Lock
5"~12.9"	2.5"	2	3/4"
13"~24.9"	4"	2	2"
25"~36.9"	8"	2	2"
37"~64.9"	12"	2	2"
65"~104.9"	12"	3	2"
105" & UP	12"	4	2"

Width	Bracket Qty for Regular Corded		Bracket Qty for Top Down/ Bottom Up		Bracket Qty for Cordless And Clutch	
5 ~ 47.9"	2			2		2
48" ~ 72.9"	3			4		3
73" ~ 83.9"	4			N/A		4
84" ~ 95.9"	4			N/A		4 (Clutch only)
96" ~ 120.9"	5			N/A		5 (Clutch only)
121" ~ 144"	6			N/A		6 (Clutch only)

Continuous Cord Length	
40" - 57.9"	3 feet
58" - 72.9"	4 feet
73" - 85.9"	5 feet
86" - 107.9"	6 feet
> 108"	8 feet

Stacking Chart: This includes headrail and bottomrail (for corded system)											
Shade Stacking Height (In Inches)	36" Drop	48" Drop	60" Drop	72" Drop	84" Drop	96" Drop		108" Drop	120" Drop	132" Drop	144" Drop
9/16" Single Light Filtering	2.00	2.25	2.50	2.80	3.00	3.30		3.50	3.83	4.00	4.33
9/16" Single Cell Blackout	1.81	2.00	2.19	2.38	2.56	2.75		2.94	3.13	3.31	3.50
7/16" Double Cell Light Filtering	2.43	2.82	3.21	3.61	4.00	4.39		4.79	5.18	5.57	5.96
3/4" Single Smooth Light Filtering	1.75	1.88	2.00	2.13	2.25	2.38		2.50	2.63	2.75	2.88
3/4" Single Smooth Blackout	1.78	1.91	2.04	2.18	2.31	2.44		2.58	2.71	2.84	2.98
3/4" Single Bamboo Light Filtering	1.83	1.98	2.13	2.28	2.43	2.58		2.73	2.88	3.03	3.18
9/16" Single Cell Linen Print LF	2.13	2.38	2.63	2.88	3.13	3.38		3.63	3.88	4.13	4.38
9/16" Single Cell Sheer	2.29	2.62	2.88	3.15	3.42	3.69		3.96	4.22	4.49	4.76
9/16" Single Cell Crush	2.47	2.84	3.16	3.47	3.78	4.09		4.41	4.72	5.03	5.34
9/16" Single Cell Slub Woven	2.25	2.54	2.83	3.13	3.42	3.71		4.00	4.29	4.58	4.88

R Value	
	3.5
	4.3
	3.6
	3.7
	4.4
	3.8
	3.5
	0.7
	3.4
	2.8

Note: For Cordless and Clutch systems, add 7/8" to above chart stack. All stacking sizes are approximate.

Minimum Mounting Space			
	Corded	Cordless	Clutch
Minimum mounting space:	1/2"	7/8"	7/8"
Minimum flush inside mounting space:	1-7/8"	2"	2"

*Product specification is subject to change without notice.

9/16" Single Cell Custom Cellular Shades - I

Manufacturer's suggested retail price

9/16" Single Cell *Light Filtering* Fabric

Height \ Width	Width														
	7" - 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	253	291	332	377	416	466	509	552	599	693	784	873	968	1060	1147
42"	273	316	363	415	458	512	564	613	662	768	870	970	1074	1178	1276
48"	290	340	390	445	493	556	608	666	722	835	948	1060	1177	1290	1400
54"	317	372	429	487	542	607	667	735	793	917	1041	1164	1293	1414	1537
60"	343	399	465	526	584	658	722	792	858	993	1127	1262	1395	1531	1666
66"	368	430	498	566	632	708	776	852	923	1068	1216	1357	1509	1650	1796
72"	391	457	531	605	675	756	834	913	989	1144	1305	1456	1615	1768	1926
78"	411	486	561	638	722	803	889	972	1056	1220	1388	1552	1721	1888	2052
84"	428	508	592	674	759	845	934	1022	1108	1280	1461	1634	1818	1992	2169
90"	448	534	622	709	798	894	983	1078	1175	1358	1543	1731	1919	2106	2292
96"	468	557	649	741	835	934	1032	1130	1227	1423	1621	1814	2015	2208	2406
108"	509	605	708	809	915	1023	1131	1239	1348	1561	1779	1990	2213	2426	2642
120"	545	656	770	883	998	1117	1232	1351	1467	1700	1938	2172	2411	2644	2879
132"	581	703	824	949	1077	1203	1331	1458	1585	1840	2097	2348	2609	2857	3112
144"	621	752	885	1019	1156	1294	1429	1566	1703	1979	2252	2526	2806	3074	3349

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

9/16" Single Cell *Blackout* Fabric

Height \ Width	Width														
	7" - 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	347	398	453	507	558	622	678	738	799	918	1045	1164	1289	1404	1524
42"	380	432	494	559	620	692	752	820	888	1027	1165	1298	1440	1572	1785
48"	409	474	545	620	686	767	838	920	995	1151	1310	1463	1625	1776	1931
54"	448	517	594	678	754	839	922	1011	1092	1265	1440	1609	1785	1952	2125
60"	492	554	641	733	813	908	994	1095	1186	1374	1562	1744	1936	2126	2307
66"	521	592	687	783	875	977	1071	1176	1276	1477	1683	1887	2091	2285	2491
72"	557	640	746	850	950	1062	1166	1281	1387	1610	1837	2057	2280	2500	2720
78"	591	677	789	901	1014	1130	1243	1366	1478	1716	1955	2192	2434	2664	2903
84"	617	711	834	955	1067	1196	1313	1446	1566	1822	2074	2322	2582	2834	3086
90"	652	759	888	1014	1141	1276	1403	1543	1675	1948	2217	2490	2767	3037	3314
96"	676	793	929	1065	1197	1340	1475	1622	1764	2047	2339	2624	2917	3207	3496
108"	734	864	1016	1169	1320	1476	1624	1788	1944	2259	2579	2896	3221	3540	3862
120"	789	939	1105	1271	1475	1608	1774	1953	2123	2468	2816	3171	3524	3876	4322
132"	855	1019	1205	1390	1613	1760	1947	2137	2326	2705	3091	3473	3868	4375	4984
144"	912	1094	1290	1490	1752	1899	2099	2299	2505	2915	3330	3746	4247	4854	5547

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

9/16" Single Cell Custom Cellular Shades - II

Manufacturer's suggested retail price

9/16" Single Cell Light Filtering *Crush/Slub Woven* Fabrics

Width Height	7" - 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	465	534	610	693	766	856	935	1013	1100	1274	1440	1605	1779	1947	2107
42"	502	580	668	764	841	940	1036	1127	1216	1410	1599	1782	1971	2163	2343
48"	531	624	717	818	905	1021	1117	1223	1326	1534	1741	1947	2162	2369	2572
54"	584	683	789	894	996	1115	1225	1349	1457	1684	1911	2139	2375	2598	2823
60"	629	734	855	966	1071	1210	1326	1455	1576	1823	2069	2319	2562	2813	3060
66"	676	790	915	1038	1161	1300	1426	1564	1695	1962	2234	2493	2772	3030	3298
72"	718	839	976	1112	1240	1390	1533	1677	1817	2101	2397	2674	2966	3247	3538
78"	755	891	1031	1173	1326	1475	1634	1786	1941	2242	2549	2850	3161	3469	3770
84"	786	933	1088	1239	1395	1551	1716	1878	2034	2352	2684	3001	3340	3658	3985
90"	824	981	1143	1302	1465	1641	1805	1980	2158	2494	2835	3179	3526	3867	4209
96"	859	1023	1191	1361	1534	1716	1896	2076	2254	2614	2978	3331	3701	4056	4420
108"	935	1112	1300	1487	1681	1881	2078	2275	2476	2868	3267	3656	4066	4456	4853
120"	1001	1205	1414	1622	1834	2052	2263	2483	2693	3123	3560	3988	4429	4857	5288
132"	1068	1292	1514	1743	1978	2211	2446	2678	2911	3380	3852	4313	4793	5248	5716
144"	1141	1381	1625	1872	2123	2377	2626	2876	3128	3635	4139	4640	5155	5646	6153

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

9/16" Single Cell Light Filtering *Linen Print* Fabric

Width Height	7" - 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	223	256	293	332	366	410	448	486	527	610	690	769	852	933	1010
42"	240	278	320	365	403	450	496	540	583	675	766	854	945	1036	1123
48"	255	299	343	392	433	489	535	586	636	735	834	933	1035	1135	1232
54"	279	327	378	428	477	535	587	646	699	807	916	1025	1137	1245	1353
60"	301	351	410	463	513	579	636	698	755	873	992	1111	1228	1347	1465
66"	324	379	439	497	556	623	684	750	813	940	1070	1194	1328	1452	1580
72"	344	403	468	533	594	666	734	803	871	1006	1148	1281	1421	1556	1694
78"	362	427	494	561	636	707	783	855	930	1074	1222	1365	1514	1661	1806
84"	377	447	521	593	668	743	822	900	974	1127	1285	1438	1600	1753	1910
90"	394	470	547	624	702	786	865	949	1034	1195	1358	1523	1689	1853	2017
96"	411	490	571	652	735	822	908	995	1080	1252	1426	1596	1773	1943	2117
108"	448	533	623	712	805	901	996	1089	1186	1374	1566	1752	1948	2135	2325
120"	480	577	677	777	879	983	1084	1190	1291	1495	1706	1911	2121	2327	2534
132"	511	619	725	835	948	1059	1172	1283	1394	1620	1846	2066	2296	2514	2738
144"	546	661	779	897	1017	1138	1258	1378	1498	1741	1982	2223	2470	2705	2948

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

9/16" Single Cell Custom Cellular Shades - III

Manufacturer's suggested retail price

9/16" Single Cell Light Filtering *Sheer* Fabric

Height \ Width	Width														
	7" - 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	424	487	556	632	698	781	852	923	1002	1161	1312	1462	1621	1774	1920
42"	457	529	608	695	767	857	945	1027	1109	1285	1457	1624	1797	1971	2135
48"	485	569	653	746	825	931	1018	1114	1209	1397	1587	1774	1970	2159	2344
54"	531	622	719	815	907	1016	1116	1230	1328	1535	1741	1949	2164	2367	2573
60"	574	669	780	881	977	1102	1209	1326	1437	1661	1886	2113	2336	2563	2788
66"	617	720	834	947	1058	1185	1299	1426	1545	1788	2036	2272	2526	2762	3005
72"	654	765	889	1013	1130	1266	1396	1528	1656	1915	2184	2437	2703	2960	3224
78"	688	813	939	1068	1209	1344	1489	1627	1769	2043	2323	2598	2881	3161	3436
84"	717	850	992	1129	1272	1413	1563	1711	1854	2143	2446	2735	3044	3333	3632
90"	751	894	1042	1187	1336	1495	1645	1804	1966	2273	2584	2897	3213	3524	3836
96"	783	933	1085	1241	1397	1563	1727	1891	2053	2381	2714	3036	3373	3696	4028
108"	852	1013	1185	1355	1531	1714	1894	2074	2257	2614	2978	3332	3705	4061	4423
120"	913	1098	1289	1478	1671	1870	2063	2262	2455	2846	3245	3635	4036	4427	4819
132"	973	1177	1380	1589	1802	2015	2229	2441	2653	3081	3510	3931	4368	4783	5209
144"	1039	1259	1481	1706	1934	2166	2393	2621	2851	3312	3771	4229	4698	5145	5607

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

9/16" Single Cell Custom Fire Retardant Cellular Shades

Manufacturer's suggested retail price

9/16" Single Cell *Light Filtering Fire Retardant* Fabric

Height \ Width	Width														
	7" - 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	329	378	432	490	541	606	661	717	779	901	1019	1135	1259	1378	1491
42"	355	411	472	540	595	666	734	798	862	998	1131	1261	1395	1531	1658
48"	377	442	507	578	641	723	790	866	938	1085	1232	1378	1530	1676	1821
54"	412	484	558	633	705	789	867	955	1032	1192	1353	1513	1681	1838	1998
60"	446	520	605	684	758	855	938	1030	1116	1291	1464	1641	1814	1990	2165
66"	479	559	648	735	821	921	1010	1108	1200	1389	1582	1764	1962	2145	2334
72"	508	594	691	786	878	983	1084	1186	1287	1487	1697	1893	2099	2298	2503
78"	535	632	730	830	938	1044	1157	1264	1374	1587	1804	2017	2238	2455	2668
84"	557	660	770	876	987	1098	1214	1329	1440	1665	1900	2124	2363	2589	2820
90"	583	693	808	922	1037	1162	1278	1402	1527	1766	2006	2250	2495	2737	2980
96"	608	724	843	964	1085	1214	1342	1469	1595	1850	2108	2358	2620	2870	3128
108"	661	786	921	1052	1190	1330	1471	1610	1753	2030	2312	2588	2877	3153	3435
120"	709	853	1001	1148	1297	1453	1602	1757	1906	2210	2520	2823	3134	3438	3742
132"	756	914	1071	1233	1399	1564	1731	1896	2060	2392	2726	3053	3392	3715	4046
144"	807	978	1150	1325	1503	1683	1858	2035	2214	2572	2929	3284	3649	3996	4355

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

9/16" Single Cell *Blackout Fire Retardant* Fabric

Height \ Width	Width														
	7" - 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	452	518	589	659	725	808	882	960	1038	1194	1358	1513	1675	1824	1981
42"	494	562	642	727	806	900	978	1066	1154	1334	1514	1688	1872	2044	2321
48"	531	617	709	806	891	997	1089	1196	1293	1496	1703	1902	2113	2309	2510
54"	583	672	772	882	980	1091	1199	1314	1420	1644	1872	2092	2321	2538	2763
60"	640	720	834	952	1056	1181	1292	1423	1542	1786	2031	2267	2517	2764	2999
66"	677	770	894	1018	1138	1269	1393	1528	1658	1920	2188	2454	2718	2971	3239
72"	724	832	969	1104	1235	1380	1517	1666	1803	2094	2389	2673	2964	3249	3536
78"	769	881	1026	1172	1318	1469	1616	1776	1921	2230	2542	2849	3164	3462	3774
84"	802	924	1084	1242	1388	1555	1707	1880	2035	2369	2696	3018	3356	3684	4012
90"	848	987	1154	1318	1482	1658	1823	2006	2178	2533	2883	3237	3597	3949	4309
96"	880	1032	1208	1385	1556	1741	1918	2109	2293	2661	3041	3411	3792	4168	4545
108"	954	1123	1321	1520	1716	1919	2112	2325	2527	2936	3354	3765	4187	4602	5020
120"	1026	1222	1437	1652	1918	2091	2307	2539	2759	3208	3660	4122	4582	5039	5618
132"	1112	1325	1566	1807	2098	2289	2530	2779	3024	3517	4018	4515	5029	5687	6479
144"	1185	1422	1676	1937	2278	2469	2729	2989	3257	3789	4329	4869	5521	6310	7210

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

3/4" Single Cell Custom Cellular Shades - I

Manufacturer's suggested retail price

3/4" Single Cell *Light Filtering Smooth* Fabric

Width \ Height	7"- 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	223	256	293	332	366	410	448	486	527	610	690	769	852	933	1010
42"	240	278	320	365	403	450	496	540	583	675	766	854	945	1036	1123
48"	255	299	343	392	433	489	535	586	636	735	834	933	1035	1135	1232
54"	279	327	378	428	477	535	587	646	699	807	916	1025	1137	1245	1353
60"	301	351	410	463	513	579	636	698	755	873	992	1111	1228	1347	1465
66"	324	379	439	497	556	623	684	750	813	940	1070	1194	1328	1452	1580
72"	344	403	468	533	594	666	734	803	871	1006	1148	1281	1421	1556	1694
78"	362	427	494	561	636	707	783	855	930	1074	1222	1365	1514	1661	1806
84"	377	447	521	593	668	743	822	900	974	1127	1285	1438	1600	1753	1910
90"	394	470	547	624	702	786	865	949	1034	1195	1358	1523	1689	1853	2017
96"	411	490	571	652	735	822	908	995	1080	1252	1426	1596	1773	1943	2117
108"	448	533	623	712	805	901	996	1089	1186	1374	1566	1752	1948	2135	2325
120"	480	577	677	777	879	983	1084	1190	1291	1495	1706	1911	2121	2327	2534
132"	511	619	725	835	948	1059	1172	1283	1394	1620	1846	2066	2296	2514	2738
144"	546	661	779	897	1017	1138	1258	1378	1498	1741	1982	2223	2470	2705	2948

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

3/4" Single Cell *Blackout Smooth* Fabric

Width \ Height	7"- 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	320	366	416	466	513	572	624	679	735	845	962	1071	1185	1292	1403
42"	349	398	455	514	570	637	692	754	817	945	1071	1194	1325	1446	1642
48"	376	436	502	570	630	705	771	847	915	1060	1206	1346	1495	1635	1776
54"	412	475	546	624	693	772	849	930	1004	1164	1325	1480	1642	1796	1954
60"	453	509	590	674	748	836	914	1007	1092	1264	1438	1605	1782	1955	2123
66"	479	545	632	720	805	899	986	1082	1174	1359	1549	1736	1923	2102	2292
72"	512	589	686	782	874	977	1072	1179	1276	1481	1690	1893	2098	2299	2503
78"	544	623	726	829	933	1039	1144	1257	1360	1578	1799	2016	2239	2451	2671
84"	568	655	767	879	982	1100	1208	1330	1440	1676	1907	2136	2375	2607	2839
90"	600	699	817	933	1049	1174	1291	1420	1541	1792	2039	2291	2545	2795	3049
96"	622	730	854	980	1101	1232	1357	1492	1623	1883	2151	2414	2684	2950	3216
108"	675	794	935	1076	1214	1358	1494	1645	1788	2078	2373	2664	2963	3257	3553
120"	726	864	1017	1169	1357	1479	1633	1797	1953	2271	2590	2917	3242	3566	3976
132"	787	937	1109	1279	1485	1620	1791	1966	2140	2489	2844	3195	3558	4025	4586
144"	839	1006	1186	1371	1611	1747	1931	2115	2305	2682	3064	3446	3907	4466	5102

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

3/4" Single Cell Custom Cellular Shades - II

Manufacturer's suggested retail price

3/4" Single Cell Light Filtering Bamboo Print Fabric

Width Height	Width														
	7"- 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	253	291	332	377	416	466	509	552	599	693	784	873	968	1060	1147
42"	273	316	363	415	458	512	564	613	662	768	870	970	1074	1178	1276
48"	290	340	390	445	493	556	608	666	722	835	948	1060	1177	1290	1400
54"	317	372	429	487	542	607	667	735	793	917	1041	1164	1293	1414	1537
60"	343	399	465	526	584	658	722	792	858	993	1127	1262	1395	1531	1666
66"	368	430	498	566	632	708	776	852	923	1068	1216	1357	1509	1650	1796
72"	391	457	531	605	675	756	834	913	989	1144	1305	1456	1615	1768	1926
78"	411	486	561	638	722	803	889	972	1056	1220	1388	1552	1721	1888	2052
84"	428	508	592	674	759	845	934	1022	1108	1280	1461	1634	1818	1992	2169
90"	448	534	622	709	798	894	983	1078	1175	1358	1543	1731	1919	2106	2292
96"	468	557	649	741	835	934	1032	1130	1227	1423	1621	1814	2015	2208	2406
108"	509	605	708	809	915	1023	1131	1239	1348	1561	1779	1990	2213	2426	2642
120"	545	656	770	883	998	1117	1232	1351	1467	1700	1938	2172	2411	2644	2879
132"	581	703	824	949	1077	1203	1331	1458	1585	1840	2097	2348	2609	2857	3112
144"	621	752	885	1019	1156	1294	1429	1566	1703	1979	2252	2526	2806	3074	3349

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

3/4" Single Cell Light Filtering LUX Linen Fabrics

Width Height	Width														
	7"- 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	465	534	610	693	766	856	935	1013	1100	1274	1440	1605	1779	1947	2107
42"	502	580	668	764	841	940	1036	1127	1216	1410	1599	1782	1971	2163	2343
48"	531	624	717	818	905	1021	1117	1223	1326	1534	1741	1947	2162	2369	2572
54"	584	683	789	894	996	1115	1225	1349	1457	1684	1911	2139	2375	2598	2823
60"	629	734	855	966	1071	1210	1326	1455	1576	1823	2069	2319	2562	2813	3060
66"	676	790	915	1038	1161	1300	1426	1564	1695	1962	2234	2493	2772	3030	3298
72"	718	839	976	1112	1240	1390	1533	1677	1817	2101	2397	2674	2966	3247	3538
78"	755	891	1031	1173	1326	1475	1634	1786	1941	2242	2549	2850	3161	3469	3770
84"	786	933	1088	1239	1395	1551	1716	1878	2034	2352	2684	3001	3340	3658	3985
90"	824	981	1143	1302	1465	1641	1805	1980	2158	2494	2835	3179	3526	3867	4209
96"	859	1023	1191	1361	1534	1716	1896	2076	2254	2614	2978	3331	3701	4056	4420
108"	935	1112	1300	1487	1681	1881	2078	2275	2476	2868	3267	3656	4066	4456	4853
120"	1001	1205	1414	1622	1834	2052	2263	2483	2693	3123	3560	3988	4429	4857	5288
132"	1068	1292	1514	1743	1978	2211	2446	2678	2911	3380	3852	4313	4793	5248	5716
144"	1141	1381	1625	1872	2123	2377	2626	2876	3128	3635	4139	4640	5155	5646	6153

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

7/16" Double Cell Custom Cellular Shades

Manufacturer's suggested retail price

7/16" *Double Cell* Light Filtering Fabric

Height \ Width	Width														
	7"- 24"	30	36	42	48	54	60	66	72	84	96	108	120	132	144
5" - 36"	296	338	389	439	522	537	590	642	692	797	905	1004	1109	1210	1308
42"	324	373	426	490	536	604	659	722	777	894	1015	1130	1250	1362	1479
48"	337	397	457	522	576	643	709	773	842	966	1098	1224	1354	1481	1607
54"	368	429	494	564	630	702	772	843	913	1049	1193	1332	1478	1608	1749
60"	403	466	542	610	684	767	840	922	998	1153	1305	1459	1613	1738	1916
66"	433	507	585	663	743	833	915	999	1084	1254	1419	1585	1755	1921	2087
72"	460	533	619	705	791	884	970	1061	1154	1328	1513	1690	1866	2046	2216
78"	490	579	671	766	863	959	1055	1156	1255	1448	1645	1837	2037	2229	2421
84"	515	612	708	812	910	1017	1119	1227	1328	1536	1743	1950	2164	2366	2572
90"	540	642	749	856	964	1077	1186	1300	1412	1632	1854	2072	2297	2517	2737
96"	564	674	782	898	1014	1130	1249	1367	1482	1717	1955	2185	2423	2651	2884
108"	615	730	854	981	1109	1239	1363	1496	1627	1882	2134	2391	2653	2904	3164
120"	672	801	944	1085	1227	1370	1512	1657	1799	2081	2370	2653	2942	3223	3508
132"	725	876	1029	1185	1341	1498	1659	1813	1972	2288	2604	2916	3234	3535	3853
144"	768	933	1099	1265	1433	1605	1771	1940	2116	2452	2783	3119	3463	3794	4129

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

Surcharges

Clutch Cellular Shade Surcharge (Add to regular corded shade pricing)

Width Height	18" - 24"	30	36	42	48	54	60	66	72	84	96	108	120
Clutch- Cord loop	96	105	112	118	127	136	139	145	150	160	170	180	195

Regular Cordless Cellular Shade Surcharge (Add to regular corded shade pricing)

Width Height	18" - 24"	30	36	42	48	54	60	66	72	84	96
Cordless-Standard	143	149	160	171	182	187	193	204	209	220	250

Top Down Bottom Up Cordless Cellular Shade Surcharge (Add to regular corded shade pricing)

Width Height	19" - 24"	30	36	42	48	54	60	66	72	84	96
Cordless-TDBU	363	374	385	396	407	418	429	440	451	462	475

Size Standards:

	Corded	Cordless	Corded TDBU	Cordless	Clutch	Cordless Plus	Skylight	Simple Touch®
Minimum Width	7"	18"	12"	19"	12"	21"	16"	28"
Minimum Height	10"	10"	10"	10"	10"	10"	10"	10"
Maximum Width	144"	96"	72"	96"	120"	72"	60"	96" ~ 118"
Maximum Height	144"	84"	72"	84"	120"	72"	60"	118"

Standard Features:

- 1/4" deduction will be taken for inside mount
- Aluminum headrail and bottom rail
- Right cord control
- Cord cleat is included for corded shades

Day/Night Shade Features:

- Made with our standard aluminum headrail and bottom rail
- The color of top rail will match top fabric; middle and bottom rail will match bottom fabric
- Light filtering fabric on top, blackout fabric on the bottom
- Standard controls: right cord operates the bottom rail; left operates the middle rail. Reverse controls are also available.
- Cordless control is available.
- Maximum size is 72"W x 72"H for both corded and cordless shades.

Skylight Shade Features:

- Skylight can only be mounted inside
- Finished size **must** be provided
- Color coordinated headrails, middle rails, bottom rails and fabrics
- Headrail including end cap is 5/8" less than finished size
- Side rails are available in the color *white (001) only*
- Skylight poles are available in 2 options (ordered separately):
 - o 3ft-5ft: \$16 each
 - o 5ft-9ft: \$22 each

- No deductions will be taken by manufacturer

Surcharge Options (net charge):

Top down corded (72" maximum width and drop)	\$20.00 per shade
Top/Down Bottom/Up corded (72" maximum width and drop)	\$20.00 per shade (fabric insert included)
Skylight	\$35 plus cost of corded shade
Day/Night Shade- two colors with top & bottom	Charged as a combination of two shade prices
Tile cut out (no warranty for cut out)	\$15.00 per side
2-on-1 & 3-on-1 head rail	Shades are priced individually

Notes: 3-on-1 head rail is not available for clutch control.

Top Down Bottom Up is not available with clutch control.

Delivery, FedEx & Common Carrier Charges

Effective April 15, 2019

BLIND X-PRESS DELIVERY

- \$4.50 per blind/shade

FEDEX SHIPPING

- Minimum freight charge \$12.50 per order
- Blind size up to 60" \$5.00 per blind/shade
- Blind size 60 1/8" to 94" \$5.00 per blind/shade plus additional \$15.00 per order
- Call for quote for blinds/shades over 94"
- Call for quote for orders shipped outside of Michigan
- Call for quote for shipments to Canada, Hawaii or Alaska

Freight charges will be billed in full for all stock, samples, non-complete blind orders and warranty repairs.

Other surcharges may apply (i.e. lift-gate, ferry fees, inside delivery, call before delivery, call notifications, etc.)

These charges do not apply to expedited, same day, express, air freight, overnight, 2nd day, or 3rd day shipping services. Additional rules, restrictions and limitations apply. Please contact customer service for applicable surcharges and rate quote.

FEDEX GROUND & FREIGHT DAMAGES

Driver must wait for all merchandise to be inspected and verified as received in good condition. Damages to merchandise shipped via FedEx Ground should be marked and signed for as damaged at the time of delivery. Additionally, photos of the damaged boxes or product should be submitted. Blind X-Press must be notified immediately after the date of the delivery.

- You have the right to refuse the entire shipment if you should suspect any damage.
- Claims for concealed damage or shortage must be filed within 5-days of delivery date.
- The portion of an order reported damaged via FedEx ground will be remade at no charge.
- Blind X-Press reserves the right to request the product back from the customer.

REPAIR CHARGES FOR CELLULAR SHADE	
Shorten Height	\$20 per shade
Cut Down Width, Standard Shade	\$25 per shade
Cut Down Width, TDBU	\$35 per shade
Restrung, Standard Shade	\$25 per shade
Restrung, TDBU	\$35 per shade
Change Control Position	\$25 per shade
Replace Headrail or Bottomrail	\$30 per shade

* CELLULAR OPTION CHANGES *	
If new shade costs more than original shade	\$45.00 plus cost difference per shade
If new shade costs less than original shade	\$45.00 standard per shade

MINIMUM REPAIR CHARGE: \$25

**NOTE: All repair charges do not include freight. Standard shipping charges will be applied.

RUSH ORDER SURCHARGES

- Rush orders are subject to inventory availability and production schedule.
- Same day rush must be submitted by 10 a.m. EST to be processed that business day.
- 24 and 48 hour rushes must be submitted by 2:30 p.m. EST to be processed that business day

Same day rush \$40 per shade -- 24 hour rush \$15 per shade -- 48 hour rush \$10 per shade

Simple Touch® Wand Custom Cellular Shades

Simple Touch® wand cordless shade is operated by AA batteries. The motor can support a shade up to 9 lbs. This unique cordless, battery powered shade has a control on a wand handle. Consumers do not need to worry about the whereabouts of the remote control. Simple Touch® cellular shades uses our heavy duty headrail and finest cellular shade fabrics. We offer a variety of options for the consumers' convenience. The shade has the standard setup of upper limit, lower limit and your favorite position.

NET SURCHARGE FOR Simple Touch® WAND SYSTEM (NET SURCHARGE IS ADDED TO CORDED PRICE): \$60

OPTIONAL HARDWARE (NET SURCHARGE FOR OPTIONAL HARDWARE):	
Power adaptor (with 70" cord)	\$14
8 Alkaline AA batteries	\$6
8 Lithium AA batteries	\$30
Power extension cord (118")	\$6

SIZE LIMITATION:	
Minimum width: 28"	Minimum height: 12"
Maximum width for single cell light filtering : 118"	Maximum height: 118"
Maximum width for single cell blackout : 118"	Maximum height: 118"
Maximum width for double cell light filtering : 96"	Maximum height: 118"
Maximum weight: 9lbs	

No Remote Control Needed

WAND:

- Standard: half of the drop of the shade
- Wand is clear with white cord in the middle
- Minimum wand length: 12" Maximum wand length: 60"

***NOTE:** Standard wand control is on the right side, unless specified.

POWER OPTIONS:

- Complementary 8 AA Alkaline batteries are included. Lithium batteries are recommended for durability.
- Power adaptor - 70" cord including cord length inside the headrail.
- Replacing the batteries does not affect current shade set up.

***NOTE:** Battery life expectancy is estimated around 1 year for Alkaline battery (depending on frequency of operation and material weight). For example, a 72"x72" single cell light filtering shade can go on 500 operation cycles. Lithium batteries last longer than Alkaline batteries.

BATTERY REPLACEMENT:

When Alkaline batteries are running low, shade will start to operate at a slower rate; indicating a replacement of new batteries are needed.

BATTERY BOX LOCATION:

- Standard: inside the headrail without battery box cover
- Outside the headrail: Battery box can be installed outside the headrail.
- Battery box cover is needed when battery box is moved outside the headrail. Cover is included in the hardware bag

***NOTE:** Battery box cover is only used when battery box is moved to outside the headrail. Cord can go through between the headrail and window frame. Extension cord (optional) is available if needed. Extension cord is ordered separately.

COLOR COORDINATION:

- Simple Touch® wand cellular shade follows our standard color coordination chart
- Color coordinated headrail, bottomrail, end caps and handle

UPPER LIMIT, LOWER LIMIT AND FAVORITE POSITION:

Simple Touch® Wand cellular shade is preset with upper position at 0", lower position at ordered drop, favorite position at approximate middle point.
To reset the 3 positions, follow the instruction sheet on how to set up upper limit, lower limit and favorite location.

INSTALLATION:

Simple Touch® cellular shade is installed with heavy duty brackets. Installation instruction and programming guide is included in the hardware bag.

Simple Touch® 15-Channel Remote Custom Cellular Shades

Simple Touch® Remote control motorized shade is operated by 8 AA Lithium batteries. It's operated by a 15-channel remote.

The motor can support a shade up to 15 lbs. This motorized shade comes with 8 AA lithium batteries. It is economical option to meet your budget.

This system also comes with option of top down bottom up. Simple Touch® remote cellular shades uses our heavy duty headrail and finest cellular shade fabrics.

We offer a variety of options for the consumers' convenience. The shade has the standard setup of upper limit, lower limit and your favorite position.

NET SURCHARGE FOR Simple Touch®, REMOTE SYSTEM (NET SURCHARGE IS ADDED TO CORDED PRICE): \$110

REMOTE CONTROL NET CHARGE:

15 channel remote	\$30
-------------------	------

OPTIONAL HARDWARE (NET SURCHARGE FOR OPTIONAL HARDWARE):

Power adaptor (with 70" cord)	\$14
8 Lithium AA batteries	\$30
Power extension cord (118")	\$6

SIZE LIMITATION: Maximum weight is 15 lbs

Minimum width for regular motorized shade:	33"
Minimum width for Top Down Bottom Up motorized shade:	38"
Maximum width:	118"

Minimum drop:	12"
Maximum drop for single cell	96 sq ft
Maximum drop for double cell	75 sq ft

POWER OPTIONS:

- Standard: 8 AA Lithium batteries are included.
- Power adaptor (optional, order separately) - 70" cord including cord length inside the headrail.
- Replacing the batteries does not affect current shade set up.

BATTERY BOX LOCATION:

- Standard: inside the headrail without battery box cover
- Outside the headrail: Battery box can be installed outside the headrail.
- Battery box cover is needed when battery box is located at outside of headrail. Cover is included in the hardware bag.

***NOTE:** Battery box cover is only used when battery box is located at outside of headrail. Cord can go through between the headrail and window frame. Extension cord (optional) is available if needed. Extension cord is ordered separately.

TOP DOWN BOTTOM UP OPERATION:

Simple Touch® Remote system is available for top down bottom up option.

For bottom rail to go up and down, middle rail must move to the bottom first.

For middle rail to go up and down, bottom rail must stay at the bottom.

COLOR COORDINATION:

- Simple Touch® cellular shade follows our standard color coordination chart
- Color coordinated fabric, headrail, bottomrail, and end caps.

FABRIC OPTIONS:

Simple Touch® system is available for all HT cellular shade fabrics:

- Single cell light filtering
- Double cell light filtering
- Single cell blackout
- Specialty fabrics: sheer, crush, fire retardant, slub woven, bamboo, linen, and LUX linen.

UPPER LIMIT, LOWER LIMIT AND FAVORITE POSITION:

Simple Touch® Remote cellular shade is preset with upper position at very top, lower position at ordered drop, favorite position at middle point.

To reset the 3 positions, follow the instruction sheet on how to set up upper limit, lower limit and favorite location. Instruction is available inside the box of remote and also available at www.htwfonline.com.

INSTALLATION:

Simple Touch® cellular shade is installed with heavy duty brackets. Installation instruction is included in the hardware bag.

WARRANTY:

Standard HT warranty on cellular shade - 3 years for Simple Touch® Remote

Somfy Motorized Custom Cellular Shades

Motorized cellular shades use our heavy duty clutch shade headrail and is motorized with the Radio Technology Somfy (RTS) system. It is operated by a battery powered motor. The motor can support a shade up to 13lbs. Battery life expectancy is 1 to 3 years (depending on the frequency of operation and material weight). Remote control is supported by radio frequency control. It can be controlled as an individual unit, as a sub group or as an entire group; depending on your choice of remote control.

Net surcharge (Net surcharge is added onto corded shade price):	
Motorization	\$225
Radio frequency transmitter: 1 channel	\$62
Radio frequency transmitter: 5 channel	\$78

Replacement hardwares (Net surcharge for additional hardware):	
Reloadable battery tube	\$30
8 AA batteries	\$30
CL32 programming tool	\$14
48" battery extension cable	\$10
96" battery extension cable	\$12
Wall mount clip	\$7 / set

Dimension Limitation:	
Minimum width: 24"	Maximum width: 94"
Minimum height: 12"	Maximum height: 96"
Maximum weight: 13lbs	

Standard features:

- 1-1/2" color coordinated headrail
- Hand held remote control only (no hard wire)
- Radio frequency control
- Wall mount clips are included.
- Reloadable battery tube and 8 AA Lithium batteries are included



Hand Held Remote Control (2 options):

Option 1: 1 Channel RTS Remote will operate all of the shades simultaneously. All shades must be the same drop.

Option 2: 5 Channel RTS Remote will operate up to five individual shades or five groups of shades.



Color Matching:

To ensure color matching, all cellular shades must be ordered at the same time. This will eliminate possible variations due to the nature of fabric. Product availability is subject to change without notice.

Specialty Cellular Shades

Perfect Arches (Do not require a template)

Perfect Arches are those where the radius of the circle is consistent at all points.

Non-perfect Arches (Require Templates)


Non-perfect Arches are not consistent at all points. Deviation of even 1/16" makes it imperfect.

ARCHES

Width	MINIMUM = 18"	MAXIMUM = 84"
Height	MINIMUM = 9"	MAXIMUM = 48"

Non-movable arches

Non-perfect arches require templates




QUARTER ARCHES

Width	MINIMUM = 9"	MAXIMUM = 50"
-------	--------------	---------------

Non-movable quarter arches

Non-perfect quarter arches require templates.




CIRCLES

Width	MIN 9/16" = 9"	MAX 9/16" = 42"
Width	MIN 7/16" = 12"	MAX 7/16" = 42"

Non-movable circles

Non-perfect circles require templates.




OCTAGONS

Width	MINIMUM = 12"	MAXIMUM = 48"
Height	MINIMUM = 12"	MAXIMUM = 48"

Measurement of all 8 sides are needed.

Templates are required.




TRAPEZOIDS

Width	MINIMUM = 12"	MAXIMUM = 60"
Height	MINIMUM = 12"	MAXIMUM = 72"

Longer side drop can not exceed 130% of shorter side drop.

Measurement of all 4 sides are needed.

Specialty cellular shades are not available for sky lights.



Cellular Shade Specialties - I

Non-movable arches, Non-movable quarter arches, Non-movable circles

Height \ Width	24	30	36	42	48	54	60	72	84
9/16" Single Cell Light Filtering/ 3/4" Bamboo LF	251	292	316	375	408	478	521	653	790
9/16" Single Cell Blackout	306	355	386	455	494	580	630	763	900
7/16" Double Cell Light Filtering	285	331	360	425	462	542	589	721	858
3/4" Single Cell Smooth Light Filtering	222	257	278	330	359	421	458	574	695
3/4" Single Cell Smooth Blackout	281	326	355	419	455	534	580	702	828
3/4" Single Cell LUX Linen Light Filtering	411	477	519	611	665	781	848	1026	1211
9/16" Single Cell Linen Print	222	257	278	330	359	421	458	574	695
9/16" Single Cell Sheer	366	426	462	545	593	697	756	915	1080
9/16" Single Cell Crush/Slub Woven	411	477	519	611	665	781	848	1026	1211

Trapezoid and Octagon Shades - 9/16" Single Cell Light Filtering & 3/4" Bamboo LF

Height \ Width	24	30	36	42	48	54	60
36	280	315	358	397	440	478	519
42	300	339	387	435	478	525	572
48	321	365	416	469	519	571	619
54	340	390	446	503	559	613	668
60	359	412	477	537	599	658	719
66	378	440	506	572	638	704	768
72	397	462	536	605	677	747	817

Trapezoid and Octagon Shades - 9/16" Single Cell Fire Retardant Light Filtering

Height \ Width	24	30	36	42	48	54	60
36	392	441	501	556	616	670	726
42	421	474	541	608	670	735	801
48	448	511	583	656	726	799	866
54	476	545	625	704	783	858	935
60	503	577	668	752	838	921	1006
66	529	616	708	801	894	985	1075
72	556	648	750	847	948	1045	1144

Trapezoid and Octagon Shades - 9/16" Single Cell Blackout

Height \ Width	24	30	36	42	48	54	60
36	364	410	465	517	572	622	674
42	391	440	503	564	622	683	743
48	416	475	541	609	674	742	804
54	442	507	580	654	727	798	868
60	466	536	620	698	779	855	935
66	492	572	658	743	830	915	998
72	517	601	697	786	881	970	1062

Trapezoid and Octagon Shades - 9/16" Single Cell Fire Retardant Blackout

Height \ Width	24	30	36	42	48	54	60
36	510	574	652	723	801	870	944
42	546	617	704	791	870	955	1041
48	584	665	758	853	944	1039	1126
54	619	709	813	915	1018	1116	1215
60	653	750	868	977	1089	1198	1309
66	688	801	921	1041	1161	1281	1397
72	723	841	974	1101	1233	1359	1487

Trapezoid and Octagon Shades - 7/16" Double Cell Light Filtering

Height \ Width	24	30	36	42	48	54	60
36	337	378	429	477	528	574	622
42	360	407	464	522	574	630	686
48	384	439	499	562	622	685	742
54	408	468	536	603	671	736	801
60	430	494	573	644	718	790	863
66	454	528	607	686	766	845	921
72	477	555	643	726	813	896	980

Trapezoid and Octagon Shades - 9/16" Single Cell Sheer

Height \ Width	24	30	36	42	48	54	60
36	437	492	557	619	685	744	808
42	468	527	603	676	744	818	891
48	499	570	649	730	808	889	963
54	529	607	695	783	871	955	1041
60	559	642	743	836	933	1026	1119
66	589	685	788	891	994	1097	1197
72	619	720	834	943	1055	1163	1273

Cellular Shade Specialties - II

Trapezoid and Octagon Shades - 9/16" Single Cell Linen Light Filtering

Height \ Width	24	30	36	42	48	54	60
36	246	277	315	349	387	421	457
42	264	298	340	382	421	462	504
48	282	322	366	412	457	503	544
54	299	343	393	442	492	540	588
60	316	363	420	473	527	579	633
66	332	387	445	504	561	620	675
72	349	407	472	533	596	657	719

Trapezoid and Octagon Shades - 9/16" Single Cell Crush/ Slub Woven

Height \ Width	24	30	36	42	48	54	60
36	490	552	625	694	769	836	907
42	525	592	676	759	836	918	1000
48	560	639	728	819	907	998	1081
54	594	682	781	879	978	1072	1167
60	627	721	834	938	1047	1151	1257
66	661	769	885	1000	1115	1231	1343
72	694	808	936	1058	1184	1306	1428

Trapezoid and Octagon Shades - 3/4" Single Cell Smooth Light Filtering

Height \ Width	24	30	36	42	48	54	60
36	246	277	315	349	387	421	457
42	264	298	340	382	421	462	504
48	282	322	366	412	457	503	544
54	299	343	393	442	492	540	588
60	316	363	420	473	527	579	633
66	332	387	445	504	561	620	675
72	349	407	472	533	596	657	719


Trapezoid and Octagon Shades - 3/4" Single Cell Smooth Blackout

Height \ Width	24	30	36	42	48	54	60
36	335	377	428	475	526	572	620
42	359	405	462	520	572	628	684
48	383	437	498	560	620	683	740
54	407	466	534	602	669	734	799
60	429	493	571	642	716	787	859
66	453	526	605	684	763	842	918
72	475	553	641	723	810	892	977


Trapezoid and Octagon Shades - 3/4" Single Cell LUX Linen Light Filtering

Height \ Width	24	30	36	42	48	54	60
36	490	552	625	694	769	836	907
42	525	592	676	759	836	918	1000
48	560	639	728	819	907	998	1081
54	594	682	781	879	978	1072	1167
60	627	721	834	938	1047	1151	1257
66	661	769	885	1000	1115	1231	1343
72	694	808	936	1058	1184	1306	1428


The Cellular Shade Collection




Standard






Continuous Cordloop





Top Down




Top Down/Bottom Up






Cordless




Skylight






Cordless Top Down/Bottom Up




Day/Night corded




Day/Night Cordless




2-on-1 Headrail




Standard Arch




Half Arch




Circle




Simple Touch™




Motorized




Hexagon



Octagon



Trapezoid



Cutout

How to Measure Your Windows

Measure each window individually as sizes may vary. Measure width first, then height (length) to the nearest 1/8". Measure width from left to right, height from top to bottom using a metal tape measure. **PLEASE DO NOT USE A CLOTH TAPE!**

Inside Mount:


Inside mount shades are installed inside the window frame.

1. Measure the exact inside width of the window frame from one inside edge to the other. Take three measurements - one near the top, one in the center, and one near the bottom. Record the narrowest measurement.
2. Measure the exact height in three places: left, center and right from top edge of opening to top of sill. Record the longest measurement for horizontal blinds.
3. Do not take deductions on inside mount measurements. The factory will take an 3/8" allowances for operating clearance
4. Measure the window diagonally in two places as shown. If the two diagonal measurements are not the same, we suggest an outside mount application for the best shade performance and appearance.


Outside Mount:

Outside mount shades are installed outside the window frame, covering an area larger than the window itself.

1. Measure the exact width of area to be covered. Be certain the measurement overlaps the window opening by at least 1 1/2" on each side to ensure privacy and light control.
2. Measure exact height to be covered, including desired overlap (usually from top edge of molding to bottom edge, or top of sill). If there is no sill, measure to where the blind is to reach.
3. The factory does not make deductions for an outside mount.



Inside Mount (IM)



Outside Mount (OM)

! WARNING/ADVERTENCIA	
	Window blind cord can STRANGLE your child. To prevent strangulation, purchase cordless products or products with inaccessible cords.
	La cuerda de la persiana puede ESTRANGULAR a su niño. Para evitar el estrangulamiento, compre alternativas cuerda o productos con cuerdas inaccesibles.

Manufacturer Warranty

What is covered by warranty:

- Warranty is offered to the original owner.
- Warranty applies only to products properly installed in the window for which they were intended, following installation instruction and recommendation.
- Warranty covers products made and assembled solely with original material.
- Warranty will repair or replace the product solely at option due to defective material or poor workmanship.
- This warranty gives you specific legal rights and you may also have other rights, which vary from state to state.

What is not covered by warranty:

- This warranty does not apply to any products damaged by accident, misuse, abuse, direct exposure to salty air or improper moisture, discoloration due to sunlight, under exposure or irregular temperature.
- This warranty does not apply to conditions caused by normal wear and tear upon the product. It does not apply to any product damaged by fire, flood, wind, rain, lightning, or other act of nature environment.
- In no event shall BXP be liable for incidental or consequential damage, loss, cost, expense or fee.
- Warranty does not apply to liquidated or discontinued items.
- Warranty does not include shipping charges.

How to obtain warranty service:

Please contact customer service with the following information:

- Original sales receipt
- Model and identification numbers
- Detail description of defect

Product	Aluminum Blinds	Cellular Shade	Fabric Shades
Warranty	Limited lifetime 3 years on cord and cord lock	Limited Lifetime 3 years on fabric, cord and cord lock	Limited Lifetime 3 years on fabric, cord and cord lock





12752 Stark Road, Livonia, MI 48150

Phone (734) 421-8844

Fax (734) 421-8870

www.blindxpress.com